Material Safety Data Sheet



Identification of the material and supplier

Product name Komatsu Hydraulic Oil 46

SDS no. 465137

Product use Hydraulic fluid

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Supplier BP Australia Pty Ltd (ABN 53 004 085 616)

Australia

Melbourne Central, 360 Elizabeth Street, Melbourne, Victoria 3000,

Tel: +61 (03) 9268 4111 Fax: +61 (03) 9268 3321

EMERGENCY TELEPHONE

NUMBER

+61 29032 0460 (or 1800 14 14 74 within Australia)

Product code 465137-AU07

2. Hazards identification

Statement of hazardous/dangerous nature NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on ingredients

Highly refined mineral oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

4. First-aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical

attention if irritation occurs.

Skin contact Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation

develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth

to an unconscious person. If potentially dangerous quantities of this material have been swallowed,

call a physician immediately.

Advice to doctor Treatment should in general be symptomatic and directed to relieving any effects.

Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes

swollen, discoloured and extremely painful with extensive subcutaneous necrosis.

Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

5. Fire-fighting measures

Extinguishing media

Suitable In case of fire, use water fog, foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable Do not use water jet.

Hazardous decomposition Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Unusual fire/explosion

hazards

products

This material is not explosive as defined by established regulatory criteria.

Product name Komatsu Hydraulic Oil 46 Product code 465137-AU07 Page: 1/5

Version 2 Date of issue 19 August 2009 Format Australia Language ENGLISH

(Australia) (ENGLISH)

Special fire-fighting procedures

Protection of fire-fighters

Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Accidental release measures

Personal precautions No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through

spilt material. Put on appropriate personal protective equipment (see section 8).

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform **Environmental precautions**

the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or

None identified.

Large spill Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses,

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact

information and section 13 for waste disposal.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-Small spill

soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Dispose of via a licensed waste disposal contractor.

Handling and storage

Handling Avoid prolonged or repeated contact with skin. Wash thoroughly after handling.

Keep container tightly closed. Keep container in a cool, well-ventilated area. **Storage**

Combustible liquid Class C2 (AS 1940). **Combustibility Classification**

Exposure controls/personal protection

Ingredient name Occupational exposure limits

Base oil - unspecified NOHSC (Australia).

TWA: 5 mg/m³ 8 hour(s). Form: Oil mist, mineral

Whilst specific OELs for certain components are included in this SDS, it should be noted that other components of the preparation will be present in any mist, vapour or dust produced. For this reason, the specific OELs may not be applicable to the product and are provided for guidance purposes.

No biological limit allocated. **Biological Limit Values**

Exposure controls

Occupational exposure

controls

Hygiene measures

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of

vapours below their respective occupational exposure limits. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking

and using the lavatory and at the end of the working period.

Personal protective equipment

Respiratory protection Avoid breathing of vapours, mists or spray. Select and use respirators in accordance with AS/NZS

1715/1716. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic vapour and dust/mist (Type P1) filters. Filter

capacity and respirator type depends on exposure level.

Avoid prolonged or repeated contact with skin. Wear protective clothing if prolonged or repeated Skin and body

contact is likely.

Hand protection Wear protective gloves if prolonged or repeated contact is likely. Chemical-resistant gloves.

Recommended: nitrile gloves.

The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the

working conditions.

Eye protection Safety glasses with side shields.

Product name Komatsu Hydraulic Oil 46

Version 2

Date of issue 19 August 2009

Product code 465137-AU07 **Format Australia**

Language ENGLISH

(Australia)

(ENGLISH)

Page: 2/5

Physical and chemical properties

Physical state Liquid. Colour Amber. [Light] **Odour** Not available.

Flash point 190 °C (Closed cup) Pensky-Martens.

Vapour pressure Not available. Vapour density Not available.

Kinematic: 46 mm²/s (46 cSt) at 40°C **Viscosity**

Kinematic: 6.65 mm²/s (6.65 cSt) at 100°C

pΗ Not available. Boiling point / range Not available. Melting point / range Not available -24 °C Pour point Not available.

Relative density/Specific

gravity

857 kg/m3 (0.857 g/cm3) at 15°C **Density**

Solubility insoluble in water.

10 . Stability and reactivity

Stability The product is stable.

Avoid extreme temperatures, strong oxidizers, fire. Conditions to avoid

Incompatibility with various

substances/Hazardous

Reactions

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition

products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide

11. Toxicological information

Effects and symptoms

Eves No significant health hazards identified.

Skin Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.

Inhalation No significant health hazards identified. Ingestion No significant health hazards identified.

Chronic toxicity

Carcinogenic effects No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen by

ACGIH, the International Agency for Research on Cancer (IARC), the European Commission (EC), or

the National Occupational Health and Safety Commission (Australia).

Mutagenic effects No known significant effects or critical hazards.

12 . Ecological information

Ecotoxicity Not classified as environmentally hazardous in accordance with the 'Approved Criteria for Classifying

Hazardous Substances' [NOHSC (1008)/2004 as amended and adapted].

Biodegradability

Persistence/degradability The biodegradability of this material has not been determined.

13. Disposal considerations

Disposal considerations / **Waste information**

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Special Precautions for Landfill or Incineration

No additional special precautions identified.

Product name Komatsu Hydraulic Oil 46 Product code 465137-AU07 Page: 3/5 Version 2 Date of issue 19 August 2009 **Format Australia** Language ENGLISH (Australia) (ENGLISH)

14. Transport information

International transport regulations

Not classified as dangerous for transport (ADG, IMDG, ICAO/IATA).

No known special precautions required. See Section: "Handling and storage" for additional Special precautions for user information.

15 . Regulatory information

Standard for the Uniform Scheduling of Drugs and Poisons

Not regulated.

Control of Scheduled Carcinogenic Substances

Schedule Ingredient name

No Listed Substance

Other regulations

Europe inventory All components are listed or exempted. **United States inventory** All components are listed or exempted. (TSCA 8b)

Australia inventory (AICS)

All components are listed or exempted. Canada inventory All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. **Philippines inventory** All components are listed or exempted.

(PICCS)

16. Other information

Key to abbreviations

AMP = Acceptable Maximum Peak

ACGIH = American Conference of Governmental Industrial Hygienists, an agency that promulgates exposure standards

ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail ADG Code = Australian Code for the Transport of Dangerous Goods by Road and Rail

CAS Number = Chemical Abstracts Service Registry Number

HAZCHEM Code = Emergency action code of numbers and letters which gives information to emergency services. Its use is required by the ADG Code for Dangerous Goods in bulk. ICAO = International Civil Aviation Organization.

IATA = International Air Transport Association, the organization promulgating rules governing shipment of goods by air.

IMDG = International Maritime Organization Rules, rules governing shipment of goods by water. IP 346 = A chemical screening assay for dermal toxicity. The European Commission has recommended that Method IP 346 be used as the basis for labelling certain lubricant oil base stocks for carcinogenicity. The EU Commission has stipulated that the classification as a carcinogen need

not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346. (See Note L, European Commission Directive 67/548/EEC as amended and adapted.) DMSO

NOHSC = National Occupational Health & Safety Commission, Australia

TWA = Time weighted average STEL = Short term exposure limit

UN Number = United Nations Number, a four digit number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods.

History

Date of issue 19/08/2009. Date of previous issue 20/02/2009. Prepared by **Product Stewardship**

Notice to reader

Version 2

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet

Product name Komatsu Hydraulic Oil 46

Date of issue 19 August 2009

Format Australia Language ENGLISH

Product code 465137-AU07

(Australia) (ENGLISH)

Page: 4/5

and of any precautions that should be taken.

Page: 5/5

(ENGLISH)